

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```

<error application="/LM/W3SVC/3/ROOT" host="ATL2CFANPV001" type="System.NullReferenceException" message="Object reference not set to an instance of an object." source="Mx.Web.UI">
  detail="System.NullReferenceException: Object reference not set to an instance of an object. at Mx.Web.UI.Areas.Forecasting.Api.ForecastController.UpdateForecastProperties(Int64 entityId, IEnumerable`1 forecasts) at Mx.Web.UI.Areas.Forecasting.Api.ForecastController.GetCurrentForecastHeaderForBusinessDay(Int64 entityId, String businessDay) at lambda_method(Closure , Object , Object[] ) at System.Web.Http.Controllers.ReflectedHttpActionDescriptor.ActionExecutor.<>c__DisplayClass10.<GetExecutor>b_9(Object instance, Object[] methodParameters) at System.Web.Http.Controllers.ReflectedHttpActionDescriptor.ExecuteAsync(HttpControllerContext controllerContext, IDictionary`2 arguments, CancellationToken cancellationToken) --- End of stack trace from previous location where exception was thrown --- at System.Runtime.ExceptionServices.ExceptionDispatchInfo.Throw() at System.Runtime.CompilerServices.TaskAwaiter.HandleNonSuccessAndDebuggerNotification(Task task) at System.Web.Http.Controllers.ApiControllerActionInvoker.<InvokeActionAsyncCore>d__0.MoveNext() --- End of stack trace from previous location where exception was thrown --- at System.Runtime.ExceptionServices.ExceptionDispatchInfo.Throw() at System.Runtime.CompilerServices.TaskAwaiter.HandleNonSuccessAndDebuggerNotification(Task task) at System.Web.Http.Filters.ActionFilterAttribute.<CallOnActionExecutedAsync>d__5.MoveNext() --- End of stack trace from previous location where exception was thrown --- at System.Runtime.ExceptionServices.ExceptionDispatchInfo.Throw() at System.Runtime.CompilerServices.TaskAwaiter.HandleNonSuccessAndDebuggerNotification(Task task) at System.Web.Http.Filters.ActionFilterAttribute.<CallOnActionExecutedAsync>d__5.MoveNext() --- End of stack trace from previous location where exception was thrown --- at System.Runtime.ExceptionServices.ExceptionDispatchInfo.Throw() at System.Runtime.CompilerServices.TaskAwaiter.HandleNonSuccessAndDebuggerNotification(Task task) at System.Web.Http.Filters.ActionFilterAttribute.<CallOnActionExecutedAsync>d__5.MoveNext() --- End of stack trace from previous location where exception was thrown --- at System.Runtime.ExceptionServices.ExceptionDispatchInfo.Throw() at System.Runtime.CompilerServices.TaskAwaiter.HandleNonSuccessAndDebuggerNotification(Task task) at System.Web.Http.Filters.ActionFilterAttribute.<ExecuteActionFilterAsyncCore>d__0.MoveNext() --- End of stack trace from previous location where exception was thrown --- at System.Runtime.ExceptionServices.ExceptionDispatchInfo.Throw() at System.Runtime.CompilerServices.TaskAwaiter.HandleNonSuccessAndDebuggerNotification(Task task) at System.Web.Http.Filters.ActionFilterAttribute.<CallOnActionExecutedAsync>d__5.MoveNext() --- End of stack trace from previous location where exception was thrown --- at System.Runtime.ExceptionServices.ExceptionDispatchInfo.Throw() at System.Runtime.CompilerServices.TaskAwaiter.HandleNonSuccessAndDebuggerNotification(Task task) at System.Web.Http.Filters.ActionFilterAttribute.<CallOnActionExecutedAsync>d__5.MoveNext() --- End of stack trace from previous location where exception was thrown --- at System.Runtime.ExceptionServices.ExceptionDispatchInfo.Throw() at System.Runtime.CompilerServices.TaskAwaiter.HandleNonSuccessAndDebuggerNotification(Task task) at System.Web.Http.Filters.ActionFilterAttribute.<ExecuteActionFilterAsyncCore>d__0.MoveNext() --- End of stack trace from previous location where exception was thrown --- at System.Runtime.ExceptionServices.ExceptionDispatchInfo.Throw() at System.Runtime.CompilerServices.TaskAwaiter.HandleNonSuccessAndDebuggerNotification(Task task) at System.Web.Http.Filters.ActionFilterAttribute.<CallOnActionExecutedAsync>d__5.MoveNext() --- End of stack trace from previous location where exception was thrown --- at System.Runtime.ExceptionServices.ExceptionDispatchInfo.Throw() at System.Runtime.CompilerServices.TaskAwaiter.HandleNonSuccessAndDebuggerNotification(Task task) at System.Web.Http.Filters.ActionFilterAttribute.<ExecuteActionFilterAsyncCore>d__0.MoveNext() --- End of stack trace from previous location where exception was thrown --- at System.Runtime.ExceptionServices.ExceptionDispatchInfo.Throw() at System.Runtime.CompilerServices.TaskAwaiter.HandleNonSuccessAndDebuggerNotification(Task task) at System.Web.Http.Controllers.ActionFilterResult.<ExecuteAsync>d__2.MoveNext() --- End of stack trace from previous location where exception was thrown --- at System.Runtime.ExceptionServices.ExceptionDispatchInfo.Throw() at System.Runtime.CompilerServices.TaskAwaiter.HandleNonSuccessAndDebuggerNotification(Task task) at System.Web.Http.Filters.AuthorizationFilterAttribute.<ExecuteAuthorizationFilterAsyncCore>d__2.MoveNext() --- End of stack trace from previous location where exception was thrown --- at System.Runtime.ExceptionServices.ExceptionDispatchInfo.Throw() at System.Runtime.CompilerServices.TaskAwaiter.HandleNonSuccessAndDebuggerNotification(Task task) at System.Web.Http.Filters.AuthorizationFilterAttribute.<ExecuteAuthorizationFilterAsyncCore>d__2.MoveNext() --- End of stack trace from previous location where exception was thrown --- at System.Runtime.ExceptionServices.ExceptionDispatchInfo.Throw() at System.Runtime.CompilerServices.TaskAwaiter.HandleNonSuccessAndDebuggerNotification(Task task) at System.Web.Http.Controllers.ExceptionFilterResult.<ExecuteAsync>d__0.MoveNext()" user="soma.dixon" time="2019-09-04T14:10:49.3791608Z">
  <script>
  </script>
  <script>
  </script>
  <serverVariables>
    <item name="ALL_HTTP">
      <value string="HTTP_CACHE_CONTROL:no-cache, no-store, must-revalidate HTTP_CONNECTION:keep-alive HTTP_PRAGMA:no-cache HTTP_EXPIRES:0 HTTP_ACCEPT:application/json, text/plain, /* HTTP_ACCEPT_ENCODING:gzip, deflate, br HTTP_ACCEPT_LANGUAGE:en-US,en;q=0.9 HTTP_COOKIE:_utmz=169128318.1551112621.12.10.utmcsr=cfahome|utmccn=restaurant_recent_news|utmcmd=topnavigation; _utma=169128318.1055320448.1547840456.1554915211.1559321280.15; _utmz=214277711.1565191004.1.1.utmcsr=(direct)|utmccn=(direct)|utmcmd=(none); _ga=GA1.2.1055320448.1547840456; _gid=GAI.2.609967548.1567518830; _utma=214277711.1055320448.1547840456.1567521871.1567533949.65; Auth=%22780A988A07097EEBB552C5C80E535EDFBE0BE6EDDC34BE599C36C2A7E5BB7E22D1551D98DF5D619DC874C9D20107C7D058F852660883D8AFDB35F3C9D04EDC580F0EAE2957F5B96FCE33B200F443A4997EE6B5A470C29004788243EBAFDB74 HTTP_HOST:m.inform.jatesting.cfahome.com HTTP_REFERER:https://m.inform.jatesting.cfahome.com/ HTTP_USER_AGENT:Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/76.0.3809.132 Safari/537.36 HTTP_SEC_FETCH_MODE:cors HTTP_AUTH_TOKEN:1375F73E0BD4AD9E19A311373F59FE845609B1A120085C0D02F36D87F9F80B91ED3DC613E311709A015FA7AF85F3866E7A2250E74DF5BC407A347EDFFEE8ECF628158BE162A876B86379785F65D108C4D58DE491BD6FF896A3914AA HTTP_SEC_FETCH_SITE:same-origin "/>
    </item>
    <item name="ALL_RAW">
      <value string="Cache-Control: no-cache, no-store, must-revalidate Connection: keep-alive Pragma: no-cache Expires: 0 Accept: application/json, text/plain, /* Accept-Encoding: gzip, deflate, br Accept-Language: en-US,en;q=0.9 Cookie: _utmz=169128318.1551112621.12.10.utmcsr=cfahome|utmccn=restaurant_recent_news|utmcmd=topnavigation; _utma=169128318.1055320448.1547840456.1554915211.1559321280.15; _utmz=214277711.1565191004.1.1.utmcsr=(direct)|utmccn=(direct)|utmcmd=(none); _ga=GA1.2.1055320448.1547840456; _gid=GAI.2.609967548.1567518830; _utma=214277711.1055320448.1547840456.1567521871.1567533949.65; Auth=%22780A988A07097EEBB552C5C80E535EDFBE0BE6EDDC34BE599C36C2A7E5BB7E22D1551D98DF5D619DC874C9D20107C7D058F852660883D8AFDB35F3C9D04EDC580F0EAE2957F5B96FCE33B200F443A4997EE6B5A470C29004788243EBAFDB74 Host: m.inform.jatesting.cfahome.com Referer: https://m.inform.jatesting.cfahome.com/ User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/76.0.3809.132 Safari/537.36 Sec-Fetch-Mode: cors AuthToken: 1375F73E0BD4AD9E19A311373F59FE845609B1A120085C0D02F36D87F9F80B91ED3DC613E311709A015FA7AF85F3866E7A2250E74DF5BC407A347EDFFEE8ECF628158BE162A876B86379785F65D108C4D58DE491BD6FF896A3914AA Sec-Fetch-Site: same-origin "/>
    </item>
    <item name="APPL_MD_PATH">
      <value string="/LM/W3SVC/3/ROOT"/>
    </item>
    <item name="APPL_PHYSICAL_PATH">
      <value string="c:\Macromatix\Web\JATesting.Mobile\"/>
    </item>
    <item name="AUTH_TYPE">
      <value string="" />
    </item>
    <item name="AUTH_USER">
      <value string="soma.dixon" />
    </item>
    <item name="AUTH_PASSWORD">
      <value string="*****" />
    </item>
    <item name="LOGON_USER">
      <value string="" />
    </item>
    <item name="REMOTE_USER">

```

```
<value string="soma.dixon"/>
</item>
<item name="CERT_COOKIE">
<value string="" />
</item>
<item name="CERT_FLAGS">
<value string="" />
</item>
<item name="CERT_ISSUER">
<value string="" />
</item>
<item name="CERT_KEYSIZE">
<value string="256" />
</item>
<item name="CERT_SECRETKEYSIZE">
<value string="2048" />
</item>
<item name="CERT_SERIALNUMBER">
<value string="" />
</item>
<item name="CERT_SERVER_ISSUER">
<value string="C=US, O=DigiCert Inc, OU=www.digicert.com, CN=DigiCert SHA2 High Assurance Server CA" />
</item>
<item name="CERT_SERVER_SUBJECT">
<value string="C=US, S=Georgia, L=Atlanta, O="Chick-fil-A, Inc.", OU=Information Technology, CN=m.inform.jatesting.cfahome.com" />
</item>
<item name="CERT SUBJECT">
<value string="" />
</item>
<item name="CONTENT_LENGTH">
<value string="0" />
</item>
<item name="CONTENT_TYPE">
<value string="" />
</item>
<item name="GATEWAY_INTERFACE">
<value string="CGI/1.1" />
</item>
<item name="HTTPS">
<value string="on" />
</item>
<item name="HTTPS_KEYSIZE">
<value string="256" />
</item>
<item name="HTTPS_SECRETKEYSIZE">
<value string="2048" />
</item>
<item name="HTTPS_SERVER_ISSUER">
<value string="C=US, O=DigiCert Inc, OU=www.digicert.com, CN=DigiCert SHA2 High Assurance Server CA" />
</item>
<item name="HTTPS_SERVER_SUBJECT">
<value string="C=US, S=Georgia, L=Atlanta, O="Chick-fil-A, Inc.", OU=Information Technology, CN=m.inform.jatesting.cfahome.com" />
</item>
<item name="INSTANCE_ID">
<value string="3" />
</item>
<item name="INSTANCE_META_PATH">
<value string="/LM/W3SVC/3" />
</item>
<item name="LOCAL_ADDR">
<value string="10.85.101.156" />
</item>
<item name="PATH_INFO">
<value string="/Api/Entity/123/GetCurrentForecastHeaderForBusinessDay" />
</item>
<item name="PATH_TRANSLATED">
<value string="c:\Macromatix\Web\JATesting.Mobile\Api\Entity\123\GetCurrentForecastHeaderForBusinessDay" />
</item>
<item name="QUERY_STRING">
<value string="businessDay=2019-09-18" />
</item>
<item name="REMOTE_ADDR">
<value string="47.32.115.150" />
</item>
```



```
<value string="same-origin"/>
</item>
</serverVariables>
<queryString>
<item name="businessDay">
<value string="2019-09-18"/>
</item>
</queryString>
<cookies>
<item name="__utmz">
<value string="169128318.1551112621.12.10.utmcsr=cfahome|utmccn=restaurant_recent_news|utmcmd=topnavigation"/>
<value string="214277711.1565191004.1.1.utmcrl=(direct)|utmccn=(direct)|utmcmd=(none)"/>
</item>
<item name="__utma">
<value string="169128318.1055320448.1547840456.1554915211.1559321280.15"/>
<value string="214277711.1055320448.1547840456.1567521871.1567533949.65"/>
</item>
<item name="_ga">
<value string="GA1.2.1055320448.1547840456"/>
</item>
<item name="_gid">
<value string="GA1.2.609967548.1567518830"/>
</item>
<item name="Auth">
<value
string="%22780A988A07097EEBB552C5C80E535EDFBE0BE6EDDC34BE599C36C2A7E5BB7E22D1551D98DF5D619DC874C9D20107C7D058F852660883D8AFDB35F3C9D04EDC580F0EAE2957F5B96FCE33B200F443A4997EE6B5A470C29004788243EBAD
</item>
</cookies>
</error>
```